PART-। लिफाफा-1

AYODHYA DEVELOPMENT AUTHORITY, AYODHYA

Civil line, parikrma marg. (Near D.M. Avas) Ayodhya

PRE-QUALIFICATION BID

Name of work: - अयोध्या गुप्तारघाट स्थित मरीमाता मन्दिर मोड़ से कम्पनी गार्डन तिराहा (बाया श्री अतुल सिंह मकान) एवं ब्रिगेडियर आवास तिराहे के पास अवशेष सड़क भाग के सुद्ददीकरण का कार्य।

2

Date of Tender: - 12.03.2024 to 16.03.2024 Date of Opening Technical Bid: - 16.03.2024

कार्यालय, अयोध्या विकास प्राधिकरण, अयोध्या

ई-निविदा सूचना

कार्या**लय-अयोध्या विकास प्रा**धिकरण द्वारा ठेकेदारों (ओपेन टू आल) से निम्नानुसार प्रतिस्पर्धात्मक ई-निविदा के माध्यम आम**न्तित की जाती है। विस्तृत** नियम व शर्तों की जानकारी कार्यालय कार्य दिवस में अभियन्त्रण अनुभाग से प्राप्त की जा सकती है।

क्र0 सं0	कार्य का नाम	आगणन धनराशि	धरोहर धनराम्रि	निविदा मूल्य (GST सहित)	निविदा जमा करने की अन्तिम तिथि	कार्य की अवधि
1.	अयोध्या गुप्तारघाट स्थित मरीमाता मन्दिर मोड़ से कम्पनी गार्डन तिराहा (बाया श्री अतुल सिंह मकान) एवं ब्रिगेडियर आवास तिराहे के पास अवयोष सड़क भाग के सुद्दीकरण का कार्य।	42,45,500.00	85,000.00	5,900.00	16.03.2024	03 माह

नोट - 1. विस्तृत जानकारी कार्यालय कार्य दिवस में अभियन्त्रण अनुभाग से तथा प्राधिकरण की बेबसाइट से प्राप्त की जा सकती है।

2. टेण्डर डालने से पूर्व टेण्डर कास्ट व अर्नेस्टमनी प्राधिकरण कोष, राधिव अयोध्या विकास प्राधिकरण में NEFT/ RTGS के माध्यम से खाता सं0-029005501009; (IFSC CODE- ICIC0000290) आई0सी0आई0सी0आई0 शाखा नियाँवा फेजाबाद में अथवा www.ayodhya.in के माध्यम से ऑनलाइन जमा करना अनिवार्य होगा।

3. विस्तृत जानकारी etender.up.nic.in से प्राप्त की जा सकती है।

1

3

निविदाएं केवल ओवर ऑल प्रतिशत पर ही मान्य होंगी। संशर्त निविदाएं मान्य न होंगी। निविदा के किसी भाग अधवा सम्पूर्ण निविदा को बिना कारण बताएं निरस्त करने का अधिकार उपाध्यक्ष, अयोध्या विकास प्राधिकरण में निहित होगा। शासनादेश के अनुसार ठेकेदारों से निपमानुसार रायल्टी जी0एस0टी0 एवं समस्त कटौतियां प्रचलित व्यवस्था के अनुसार की जायेंगी। समस्त निविदाओं के साथ शासन के गृह (पुलिस) अनुभाग-14 के पत्र संख्या-87पू0ओ0/छःपु0 14-07-185/07 दिनांक 12 सितम्बर 2007 द्वारा जिलाधिकारी द्वारा प्रदत्त निर्धारित प्रपन्न संख्या PWD-T-4 पर चरित्र प्रमाण पत्र, PWD-T-5 पर हैसियत प्रमाण-पत्र एवं PWD-T-6 पर (प्राप्रथ पत्र) रू0-100.00 (रू0 एक सो मात्र) के स्टेम्प पेपर यर नोटरी द्वारा साक्ष्यों की उपस्थिति में सल्यापित किया हुआ संलग्न किये जायेंगे। कार्य को निर्धारित समय अवधि के अन्दर पूर्ण करना होगा। अर्नेस्टमनी व टेण्डर कास्ट प्रत्येक कार्य हेतु अलग-अलग देय होगी। निविदा दरें निम्न होने पर 10 प्रतिशत निम्न तक 0.50 प्रतिशत प्रति प्रतिशत तथा 10 प्रतिशत से अधिक निम्न होने पर 01 प्रतिशत प्रति प्रतिशत की दर से परफारमेन्स गारण्टी/ सिक्योरिटी मनी अनुबन्ध के साथ जमा करना होगा। समस्त निविदाओं के सम्बन्ध में टेण्डर डालने से पूर्व टेण्डर कॉस्ट व अर्नेस्टमनी प्राधिकरण कोष में सचिव, अयोध्या विकास प्राधिकरण के पक्ष में NEFT/RIGS के माध्यम से आई0सी0आई0सी0आई0 बैंक शाखा नियांवा फैजाबाद, अयोध्या स्थित खाता सं0-029005501009 IFSC CODE-ICIC0000290 में अथवा www.ayodhya.in के माध्यम से ऑनलाइन जमा करने के साथ ही भुगतान की प्रति टेण्डर के साथ संलग्न किया जाना अनिवार्य होगा। इस शर्त का पालन न करने पर निविदा पर विचार नहीं किया जायेगा।

टेक्निकल बिड के साथ प्राधिकरण द्वारा मांगे गये प्रपत्रों का एक INDEX वनाकर, जिसमें प्रपत्र का विवरण एवं पृष्ठ संख्या स्पष्ट रूप से अकित हो संलग्न करते हुए उसकी सॉफ्ट कापी निविदा पोर्टल पर अपलोड किया जाना है।

नोट - विस्तृत नियम व शर्तों की जानकारी प्राधिकरण कार्यालय कार्य दिवस में अभियन्तण अनुभाग से अथवा Ayodhya.in/ etonder.up.nic.in के माध्यम से प्राप्त की जा सकती हैं।

निविदा के साथ दी जाने वाली प्रतिभूति की धनराशि, कार्य पूर्ण करने हेतु निर्धारित समय, कार्य की श्रेणी व अन्य शर्ते एवं विवरण निविदा सूचना में अंकित शर्तों, विवरण एवं 'नोट' के अनुसार लागू होगी। निविदा सूचना निविदा प्रपत्र का एक अंध है।

2 समान कार्यों की सूची साथ में संलग्न है। निविदादाता की निविदा उल्लिखित कार्य के अनुभव की मान्य होगी एवं संलग्न सूची के अनुसार समान कार्यों के अनुभव भी मान्य होगें।

ठेकेदारो के चालित देयको से 05 प्रतिशत जमानत धनराशि काटी जाएगी तथा 5 प्रतिशत कार्य सन्तोषजनक होने के बाद 12 माह बाद अनुरक्षण अवधि समाप्त होने के बाद वापस किया जायेगा।

- किसी भी एक अधवा समस्त निविदाओं को अस्वीकृत कर देने का अधिकार सुरक्षित रहेगा इस सम्बन्ध में किसी भी व्यक्ति तथा व्यक्तियों द्वारा निविदा के अखीकृत होने के कारण को पूछा नहीं जा सकता है।
- किसी भी **निविदा घर तब** तक विचार नहीं किया जायेगा जब तक कि उसके साथ अग्रिम धनराशि जमा करने की 5 रसीद अभया निविदा सूचना के अनुसार अग्रिम धनसथि। संलग्न न होगी।
- निविदा **की दर तथा जोड़ को श**ब्दों तथा अंकों में स्पष्ट रूप से भरा जायें तथा कोई भी कटिंग व ओवर राईटिंग न 6 की जायेगी अन्यभा निविदा अखीकृत कर दी जायेगी।
- यदि निविदा की स्वीकृति प्राप्त करने वाले ठेकेदार 15 दिन के अन्दर स्पष्ट रूप से कान्ट्रेक्ट पर हस्ताक्षर नहीं 7 करेंगे **तो निविदा के साथ जमा कि**या हुआ धनराशि जब्त कर लिया जायेंग तथा निविदा की स्वीकृति वापस कर ली जायेगी।
- ठेके**दार अपनी निविवा में दर उसी प्र**कार से भरेगा जिस प्रकार से निविदा पत्र में मांगी गयी हों। 8
- निविदा देने की तिथि से निविदा 03 माह तक वेध रहेगी । 9
- जो पता ठेकेदार का निविदा में मिलेगा वहीं पता मान्य होगा और इस पते पर भेजी गई डाक यदि डाकखाने से 10
- किसी कारण से वितरित न होकर वापस हो जाती है तो समझा जायेगा कि ठेकेदार द्वारा स्वीकार कर ली गई है। प्रत्येक कार्य की निविदा के लिफाफे पर कार्य का नाम स्पष्ट रूप से अंकित होगी।
- 11 साधारण एवं विश्वेष शर्तों/नियमों का पालन न होने पर निविदा मान्य न होगी और ठेकेदार को डिबार कर दिया 12 जायेगा एवं ब्लेक लिस्ट भी किया जा सकता है।

पी०डव्ल0सी० (अभि0अनुभाग)

310

अयोध्या विकास प्राधिकरण अयोध्या

ठेकेदार के हस्ताक्षर तथा पताः

<u>पार्ट-1 लिफाफा-1</u> नियम एवं शर्ते

निविदा 2 बिष्ठ सिस्टम के आधार पर डाली जायेगी प्रथम लिफाफे में निम्न लिखित अभिलेख रखे जायेगे।

- उपयुक्त श्रेणी में पंजीकृत होने का प्रमाण पत्र।
- 2 प्रतिभूति जमा करने का प्रमाण पत्र।
- 3 टेण्डर मूल्य जमा करने का प्रमाण पत्र।
- 4 अनुभव प्रमाण।
- 5 आयकर रिटर्न विवरण।
- 6 टर्न ओवर प्रमाण पत्र।
- 7 टी०एण्ड पी० का शपथ पत्र।
- 8 तकनीकी स्टाफ का शपथ।
- 9 फर्म का विवरण (प्रोपराइटर/पार्टनरशिप/प्रा0लि0/लि0)
- 10 चरित्र प्रमाण पत्र।
- 11 पार्टनरशिप डीड (आवश्यकता अनुसार)/ MOA of company
- 12 साल्वेन्सी।
- 13 ब्लैक लिस्टिंग न होने का शपथ पत्र।
- 14 पंजीकरण का स्थान।
- 15 लेबर रजिस्ट्रेशन, ESI, EPF रजिस्ट्रेशन प्रपत्र।

तकनीकी रूप से अई निविदादाता की ही निविदा की वित्तीय बिड खोली जायेगी।

अवर अभियन्ता अ०वि०प्रा०अयो०

सहायक अभियन्ता अ०वि०प्रा०अयो०

अधिशासी अभियन्ता अ०वि०प्रा०अयो०

5

INFORMATION & INSTRUCTIONS FOR THE TENDERER

- The application should be type-written. The applicant should sign each page of the application.
- Over Writing should be avoided. Correction, if any, should be made by neatly crossing out, initialing, dating & re-writing.
- 3. The applicant may furnish any Additional information which he thinks is necessary to establish is capabilities to successfully complete the envisaged work. He is however advised not to furnish superfluous information. No information shall be entertained after submission of pre-qualification document unless it is called for by the Employer.
- 4. Any information furnished by the applicant found to be incorrect either immediately or at a later date, would render him liable to be debarred from tendering/taking up of work in Ayodhya Faizabad Development Authority. If search applicant happens to be enlisted contractor of any class in AFDA his name shall be removed from approved list of contractors.
- The tenderer shall submit as two bid system in accordance with the procedures specified Documents shall be submitted in envelope of appropriate size, which shall be duly sealed.
- 6. Conditional tender shall not be considered.
- Tender document is to be submitted in two envelope marked no-1 shall contain the technical bid and marked no-2 for price bld (Financial bid).
- Both envelopes 1 & 2 will keep in one big envelop with name of work, date of tender detail of earnest money and full address and contact number of tenderers.

LIST OF DOCUMENTS TO BE SUBMITTED

The Detail of document to be submitted with each envelope are given below:

- (i- Duly filled up pre-qualification document appended with the tenders.
- (ii- List of works satisfactorily completed during the last Five financial years of same nature or similar nature of work at least one work of 80% of Estimated cost or Two works of 50% of Estimated cost or three works of 40% more in Govt./Semi-Govt./Public Sector undertaking.
- (iii/A- Attested copy of the partnership deed if it is partnership firm and registration certificate in case of company, sole proprietorship declaration in case of proprietorship firm. Joint ventures shall not be accepted.
- (iii/B- The tenderer shall clearly specify whether the tender is submitted on his own or on behalf of a partnership concern. It the tender is submitted on behalf of a partnership concern, he should submit the certified copy of partnership deep along with the tender and authorization to sign with the tender documents, the tender will be treated as having be submitted by individual signing the tender documents. The RDSO will not be bound by any power of attorney granted by the tenderer or by changes in the composition of the firm made subsequent to the execution of contract. It may, however, recognize such power of attorney and changes after obtaining proper legal advice, the cost of which will be chargeable to the contractor.
- (iii/C- The tenderer whether a sole proprietor, a limited company or partnership firm if they want to act through agent or individual partner (s) should submit along with the tender or at a later stage, a power fo attorney duly stamped & authenticated by a Notary Public or by magistrate in favor of specific person whether he/they be partner (s) of the firm or any other person specifically authorizing him/them to submit the tender, sign the agreement, receive money, witness measurement, sign

measurement books, compromise, settle, relinquish any claim (s) preferred by the firm and sign "No claim certificate" and refer any dispute to arbitration.

(iii- Authority letter, if the firm/tenderer in favor of the person who has signed the tender document with telephone no. and complete postal address.

(iv- Latest character certificate issued by competent authority.

Ex. Engineer A.D.A.

- 3.2 Envelope No-2 (Price Bid).
 - (a-Price bid duly filled in all respects in the original tender documents.
 - (b-Non-Judicial stamp paper of Rs. 10/- (Rs. Ten Only) of UP along with Rs.

1/- revenue stamp.

System to open Tenders:

- (a-Envelope No-1 containing the earnest money deposit and pre-qualification document shall be opened first on specified date & time.
- (b-Envelope shall be containing the sealed price bid of only pre-qualified tenders shall be opened on the fixed date. The quoted rates of various tenders will be read out. Tenders desirous to be present shall be allowed at the time of opening of price bid.

Ex. Engineer A.D.A.

REQUIREMENTS FOR PREQUALIFICATION OF TENDER

- 1. Tender Cost- निविदा सूचना के अनुसार ऑनलाइन जमा करानी होगी।
- E.M.D.- निविदा सूचना के अनुसार ऑनलाइन जमा करानी होगी।
- 3. Proof of solvency:
 - Minimum solvency required is 40% of total estimated cost put to tender (issue within a period of maximum six months). From Nationalized/ Scheduled Bank.

AND

- In case individuals, firms and Undivided Hindu Families, proof of solvency of the applicant will consist of aa fixed assets certificate (हेसियत प्रमाण पत्र) signed by the District Magistrate and Solvency certificate signed by Manager of the bank regarding the cash assets of the applicant.
- In case of private limited company, the proof of the company solvency will be its last balance sheet audited and certified by the Chartered Accountant or certificate/ reference of a Nationalised/ Scheduled bank.

 Average annual financial turnover on Construction works should be at least 30% of the estimated cost during the immediate LAST 3 consecutive financial years. For average turnover balance sheet is required. Income tax return is required to be submitted by the Contractor/ Bidder.

- 5. Proof of previous experience:
- Experience of having successfully completed works during the last 5 years ending last day of the month previous to the one in which applications are invited with Govt./ Semi Govt./ PSU only;

Three similar completed works costing not less than the amount equal to 40% of estimated cost put to tender.

Or

Two similar completed works costing not less than the amount equal to 50% of estimated cost put to tender.

Or

One similar completed works of aggregate cost not less than the amount equal to 80% of estimated cost put to tender.

(2) Experience of having successfully completed works during the last 5 years ending last day of the month previous to the one in which applications are invited:

S. No.	Nature of Work	Experience Required
1.	Bituminous Road work, Resurfacing work	Experience in Bituminous Road Work Only.
2.	Building Construction/ Multistorey Building Construction	Experience in building/ Multistorey building construction only.
3A.	Sewer and water supply/ OHT Construction	Experience in any such similar work (Registered Contractor of Jal Nigam will also be eligible for participation).
3B.	Sewer Cleaning.	Experience in such work only.
4.	Survey work- Topographical survey, level, contouring etc.	Experience in such survey work only.

5A.	C.C. Road work, RCC Drain, RCC Retaining Wall, RCC Divider, Culvert.	Experience in any such similar work.
58	Brick Drain, Footpath, Interlocking Tiles, Boundary wall, Masonry work, Building Repair work.	Experience in any such work only.
5C	Miscellaneous Work- Divider and Grill Painting, Earth Filling, levelling, Garbage Disposal, Road and Drain Cleaning, Jungle Cleaning etc.	Experience of same type of work.
6	Maintenance Work: - (a) Maintenance of Horticulture Work (b) Maintenance of Apartments/ Buildings/ Colony	Experience of Horticulture work Only. Experience of Apartments/ Buildings only, such as Housekeeping, Supply of Labour etc.
7	Signages, logo, road signages along highway and arterial roads,	Experience in anyone along with structure.

- Bidder should be attach required same nature of work or above listed rela nature of work mentioned in BOQ.
- Work should be clearly mentioned in the Experience Certificate having, Date of start, Date of actual completion, Details of majorly items with amount.

नोट-

- (अ) कम्बाइंड वर्क है तो मद वाइज अनुभव अर्थात् यदि कोई अनुभव प्रमाण पत्र में सड़क, नाली, पार्क आदि का सम्मिलित प्रमाण पत्र है तो समान प्रकृति के कार्य हेतु सड़क, नाली, पार्क आदि के मदवार किये गये कार्य का धनांक अंकित होना आवश्यक है।
- (ब) अनुभव 05 वर्षों में संतोषजनक रूप से पूर्ण किये गये कार्य का ही मान्य होगा। अनुभव के सम्बन्ध में कार्य पूर्णता की तिथि/ प्रमाणं पत्र के आधार पर वित्तीय वर्ष की गणना की जाएगी। अनुभव प्रमाण पत्र में अनुभव की धनराशि प्रति वर्ष 5 प्रतिशत वार्षिक की दर से बढ़ाकर गणना कर मानी जाएगी (उदाहरणार्थ, 01 वर्ष पुराने कार्य के लिए 5 प्रतिशत तथा 02 वर्ष पुराने कार्य के लिए 10 प्रतिशत आदि।

Details/ Eligibility/ Requirements of Mandatory Annexures: -

1. Proof of employment of technical staff will consist of a declaration by the contractor as given below. The declaration by the contractor will be given in the form attached Appendix 'B' (in the presence of Notary Public giving details of the required staff)

Cost of Work (Rs. In Lac)	Requirement of Technical staff	1	Minimum experience (Years)	Designation
	Qualification	Number		4
More than 1000	 Project Manager with degree in corresponding discipline of Engineering. 	1	10	Principal Technical Representative

GENERAL GUIDELINES FOR FIXING REQUIREMENT OF TECHNICAL STAFF FOR A WORK

	 Graduate Engineer Graduate Engineer 	1	5	Technical represents
	Or	2	Nil	Technical
	Diploma Engineer	2	5	Representative
500 to 1000	Graduate Engineer	1	5	Principal Technical
	 Graduate Engineer Or 	2	Nil	Representative
	Diploma Engineer	2	5	Technical represents
200 to 500	Graduate Engineer	1	5	Principal Technical
	 Graduate Engineer Or 	1	NIL	Representative
	Diploma Engineer	1	5	Technical represents
50 to 200	Graduate Engineer	1	2	Principal Technical Representative
10 to 50	Graduate Engineer	1	Nil	Principal Technical
	Or Diploma Engineer	1	5	Representative

Note: - 1, Rate of Recovery in case of non-compliance of above be stipulated at following rates-

S. No.	Qualification	Experience (years)	Rate of recovery
i)	Project Manager with Degree	10	Rs. 50,000/- p.m.
ii)	Graduate Engineer	5	Rs. 30,000/- p.m.
iii)	Graduate Engineer	Nil	Rs, 20,000/- p.m.
	Diploma Engineer	5	

 Proof of possession of required machinery, tools, plant, centring & shuttering will consist of a declaration in shape of an affidavit duty verified by the Notary in the Proforma as per Appendix 'C'.

The minimum requirement of T&P possessed by the firm shall be follows: -

(1) Road Roller/ Vibratory	-02			
(2) Trunk/ Tipper	-02			
(3) Water Tanker	-02			
(4) Water Pumps	-02	Vibr	atory Roller	-01
(5) Excavator	-01			
(6) Concrete Mixture with hopper	-01			
(7) Vibrator -02 Needle	-01	Surface	-01	

11

(8) Concrete batch mix plant of capacity 15 Cum/Hr. -01 (9) Grader -01

- 3. Contractor will have to submit the character certificate issued by the District Magistrate in the name of partners in case it is the partnership firm, proprietor, in case it is proprietorship firm/ contractor, Directors in case it is Pvt. Ltd. Firm etc. without character certificate the tender shall be rejected.
- The tenderer should submit the notarized affidavit that the tenderer/ firm has not been blacklist any state/ central government department/ organization. The e-tender of blacklisted contractor or not submitting the required affidavit shall be rejected.
- 5(A) Memorandum and Article of Association showing objectives of the Company/ firm and authority to sign the e-tender/ contract or delegate the power to other for signing the e-Bid/ contract
- 5(B) Place of registration
- 5(C) The Power-of-attorney authorizing the tenderer to sign the e-tender/ contract.
- 5(D) In case of firm, duty certified copy of partnership deed and registration certificate; In case of company, deed for article of association and power of attorney for the person concerned to authorize to sign the tender and agreement.
- For the work where man power supply is included, valid registration/ license of labour dept, E.S.I. and E.P.F. are also required to be submitted.

The E-tender of the tenderer not submitted certified copies of above-mentioned documents shall be rejected.

- 7. The details regarding pre-qualification and tender containing rates are to be uploaded as per up to due date & time in the prescribed format. Non furnishing of required details/ incomplete details will lead to rejection of tender. In case it is fond that the details furnished are fake/ false/ fabricated the farm shall be black listed without any notice.
- The rates of only those contractors will be opened and recorded on comparative statement who pre-qualifies as per requirements mentioned here in after.
- In case of any change in solvency, technical staff, tools and plants or change in partners of the constitution of a company after submission of documents, the same shall be intimated to the Engineer-in-charge
- The decision regarding pre-qualifying the contractor for the above referred will rest with the Vice Chairman of Ayodhya Development Authority, whose decision will be final.
- 11A. it shall be the discretion of the Department to decide as to whether an E-tender fulfils the evaluation criterion mentioned in this e-tender or not.
- 11B. The tenderers are advised not to mix financial bid document with the PDF documents submitted for technical bid. The e-tender of the tenderers having financial bid document in the technical bid will out rightly be rejected.
- 12A. No tender shall contact the department on any mater relating the his/her r-tender, from the time of the e-tender opening to the time the contract is awarded. If the

tenderer wishes to bring additional information to the notice of the department, he/ she can do so in writing.

- 12B. Any effort by a tenderer to influence the department in its decisions on e-tender evaluation, e-tender comparison or contract award may result in rejection the tenderer's e-tender.
- 12C. In the event of any information furnished by the agency is found false or fabricated the minimum punishment shall be debarred/ black listing from A.D.A. works and the legal proceeding can also be initiated.

OFFICER INVITING TENDER

CONTRACTOR SIGNATURE WITH SEAL

Proof of possession and use of required machinery, tools and plants will be given by the tenderers by way of declaration in shape of an affidavit on Rs. 10/- non-judicial stamp paper duly verified by the notary public in Prescribed Performa. It is advised to submit the certified copy of purchase document receipt etc.

Site Office and Testing Lab

The contractor shall establish site office & will arrange all possible testing equipment's, required for proper executions of work on his own cost.

Name of work: - अयोध्या गुप्तारघाट स्थित मरीमाता मन्दिर मोड़ से कम्पनी गार्डन तिराहा (बाया श्री अतुल सिंह मकान) एवं ब्रिगेडियर आवास तिराहे के पास अवशेष सड़क भाग के सुदृढ़ीकरण का कार्य।

SPECIFICATION

Method of tendering 1.

The contractor must fill in ink schedule 'G' and the Supplementary schedule 'H' item by item in the several columns and must write in words well as in figures the rates per unit of measurement of each item. In column provided in the schedule 'G' and 'H' Each page of both schedules must also be signed by the contractor or duly accredited agent acting on his behalf it is strictly forbidden to modify or change the arithmetical totals of any or all the tenders' items by a percentage deduction or increase and tender is received will be liable to be rejected.

Terms of Tender

2.

3.

Firm prices in rupees and paise shall be quoted for each item in the schedule 'G' and 'H' and tender shall remain good and open for acceptance for a period of four calendar month from the date of opening of tender.

Water Supply

The contractor shall make his own arrangements in regard to water supply required for execution and test of the works as well as for drinking water for his own work people and he shall defray all charges in this connection and include in his rates a sufficient amount to allow for this. In case the contractors take water from Corporation taps, charges at them of 2% of the cost of the work done shall be deducted from his bill.

Standard Detailed

Specification

All works executed or materials supplied under this contract unless otherwise specific in this specification shall comply with the description set out in Public Works Department detail or the Indian standard specification or L. S. G. E. D. Detailed

15

specifications in for as they are applicable shall be deemed to be incorporated in this contract. small and Scattered Works

The contractor may be required to carry out works in small quantities repairs or minor alterations to existing drains, pipe lines. Payments, locking existing mains and other miscellaneous purposes in connection with work. He shall be paid separately for work so carried out the rate tendered in schedule 'G' and 'H' for such items i.e. for boulder masonry brick work concrete excavation plaster & pointing etc, and no claim of any extra payments on ground of small work or due to its being of scattered nature shall be entertained.

Extra Rate

5.

Any new rates not given in the tender but given in the current P. W. D. schedule of rates shall be paid for according to rates on percentage (above or below) the current P.W.D. Schedule of rates calculated on the accepted tender over the estimated cost of the work or as decided by the Engineer- in- charge whichever is less.

8.

7.

6.

Any new rates not given in P.W.D. schedule of rates shall be decided by the Engineer- in- charge and decision will be final.

Brick Work

All brick works shall be paid according to brick size i.e. the thickness of walls shall half brick 4 ½" one brick 9" and 1 ½ brick 13 ½" and so on and of slab and lentals etc. 3", 4 ½", 6" and so on.

Name of Work: • अयोध्या गुप्तारघाट स्थित मरीमाता मन्दिर मोड़ से कम्पनी गार्डन तिराहा (बाया श्री अतुल सिंह मकान) एवं ब्रिगेडियर आवास तिराहे के पास अवशेष सड़क भाग के सुद्दीकरण का कार्य।

SCHEDULE 'A'

The site of work can be ascertained from the Assistant Engineer (Ayodhya Development Authority, Ayodhya). The tenders are advised to inspect the site of the work Before tendering the rates so that the man fully acquaint themselves with the nature of the work to be done, the means of communication and availability of materials and water required for the work.

The contractor must complete the work in accordance with the specification and to the entire satisfaction of the Engineer In charge with the specified period.

SCHEDULE 'B'

The drawings regarding this, this work can be seen in the office of Engineer-In-Charge Ayodhya Falzabad Development Authority on any working day from 10 A.M. to 5 P.M.

SCHEDULE 'C'

Nil

SCHEDULE 'D'

The following samples be submitted by the contractor within 10 days of the receipt of orders to start the work and subsequent supplies shall not be inferior to the samples approved.

1-	Bricks		10 Nos. Surkhi	1Cft.
2-	Coarse Sand	1 Cft.	Brick ballast	1 Cft.
3.	Local Sand	1 Cft.	Any other sample Engineer	Desired by the

4- Hard stone grit 1 Cft.

Materials specified by the Engineer from time to time and brought on the site of work shall occasionally be tested by the Engineer at the cost of the Contractor. The material rejected shall be removed by the contractor within 24 hours, failing which the rejected materials shall be removed or disposed of by the Ayodhya Faizabad Development Authority at the cost of the contractor.

SCHEDULE 'E'

I- All materials supplied by the contractor brought on the site shall be testd by the Engineer Incharge frequently to check up if they confirm the specification of P.W.D.

2- All the rates as may be necessary shall performed at the contractor's expenses and will have to make all necessary arrangement for conducting them and when called upon on to do so to the satisfaction of the Engineer.

SCHEDULE 'F'

All works specified herein shall be completed in all respect to the entire satisfaction of the Engineer In charge and handed over to him or any persons nominated by to take over within a period ofmonths from the date of receipt written order to commence the work.

The contractor's responsibility shall, however, not & until the maintenance period of one year or one rainy season with whichever is more from the date of completion is over is any defect is notified at the contractor's cost.

Individual portions of the work may be brought into use of the Ayodhya Faizabad Development Authority as each section is completed but maintenance period of one year or one rainy season whichever is more shall be finally counted from the date of entire work under the contract is finally completed and handed over.

AYODHYA DEVELOPMENT AUTHORITY, AYODHYA

SPECIAL CONDITIONS FOR WORK

All the work shall be carried out as per detailed C.P.W.D., U.P.P.W.D., U.P. JAL NIGAM, U.P. POWER CORPORATION LTD., M.O.R.T.H. (Road Wing) specifications for road and bridge work (third revision 1995) as the case may be, latest circulars and instructions issued time to time as per instructions of Engineer-in-charge and other inspecting officers.

EXTENT OF CONTRACT

The Contract comprises construction and completion of the specified job and the provisions of all labour, materials, T&P etc. and transport, temporary works etc. whether of temporary or permanent in nature required for the construction, completion and maintenance of the work.

INSPECTIONS OF THE SITE

The tenderer (s) must inspect and examine the site of work and its surroundings and satisfy himself/themselves before submitting his/their tender. He/they has/have to make sure of the positions of quarries and availability of required material from quarries mentioned in the specifications, topography of the site availability of labour and material and other amenities before tendering. No claim for additional work or extra work due to any of the above will be allowed.

ENTRIES IN TENDER

All entries by the tenderer should be in one ink and one hand/on prescribed bill of quantity only. Erasers and overwriting are not permissible. All corrections should be neatly written and signed by the tenderer. Rate should be written in figures as well as in words. In case there is any variation, lower rate shall be treated as Tender rate.

CONDITIONAL/ INCOMPLETE TENDER

Conditional, incomplete, unsigned tenders will not be considered. Only those bidders who supply necessary proof/documents of possession of the required equipment's in their bids should be considered as responsive for further evaluation.

ADDRESS OF CONTRACTOR

The contractor shall give his full permanent postal address. The postal receipt of the letters sent to him on this address shall be considered sufficient proof that they have been delivered to him.

ACCEPTANCE OF TENDER

The department shall have the right to accept or reject any or all the tenders or part thereof, without assigning any reason to contractor and no claim whatsoever shall be entertained on this account,

SIGNING OF TENDER DOCUMENTS

Contractor shall sign each page of tender documents before offering his tender and required stamp duty on the contract deed will be borne by the contractor.

COPY OF CONTRACT

On request, the Executive Engineer may furnish the contractor with a copy of the contract.

TIME OF COMPLETION

The time of completion as shown in this tender is for completion of the entire work.

EMPLOYMENT OF LABOR

The contractor shall submit a daily report to the Engineer-in-charge regarding the total labour employed by him for the work and shall be bound to pay wages which shall not be less than the wages fixed under Minimum Wages Act.

LINE AND LEVELS

The contractor shall be solely responsible for setting out the works and for the correctness of the position, levels, dimensions and alignment according to the specification and shall provide all necessary assistance, instruments, pegs, sticks, poles and other materials, required for the purpose. The tender rates shall be deemed to include all this.

PROGRAMME AND RETURNS TO BE FURNISHED

As soon as practicable, but not later than 7 days after the acceptance of his tender, the contractor shall submit to the Engineer-In-Charge for his approval, a time schedule to carry out works. The contractor shall whenever be required by the Engineer-In-charge, furnish for his Information arrangements for carrying out the work. The submission to and approval by Engineer-in-charge of such program or furnishing of such particulars shall not relieve the contractor of any of his duties or responsibilities under the contracts. In addition, the contractor shall have to furnish returns of work done by him, as may be directed by the Engineer-in-charge from time to time.

EXECUTION

The contractor shall have to execute various item of works strictly according to the order and time schedule approved by the Engineer-In-Charge. Materials will also be tested as per required frequency of tests.

TECHNICAL STAFF AT SITE OF WORK

The contractor shall have to employ full time technical staff and other supporting staff for supervision of the work. Name of the technical staff employed by the contractor shall be intimated in writing to the Engineer-In-charge. Any change of technical staff during the execution of work should be intimated immediately in writing to the Engineer-in-charge.

SITE OFFICE

The contractor shall establish and maintain a site office under his authorized representative/technical staff. All relevant documents shall be kept in the site office.

SITE ORDER BOOK

A site order book shall be maintained at the site of work in which instructions shall be given to the contractor as and when necessary. These instruction/orders, shall have to be signed and complied by the Contractor or his authorized representative. The entries in 'Site Order Book' shall be treated as proper notice serving upon the contractor in terms of his contract.

LIGHTING ARRANGEMENT

The contractor shall make his own arrangement for lights during the fag end of the day in case the work is likely to be delayed due to unavoidable circumstances.

TRAFFIC CONTROL

The contractor shall take all measures necessary for the safety of traffic during execution of work and shall provide, erect and maintain such barricades, reflective signs and caution boards, making flags, lights flagmen as necessary or as directed by the Engineer-in-charge for smooth and safe flow of traffic during execution or work. The contractor shall ensure to proper maintenance of patties in 2.5m, width during execution of the bituminous work and it shall be kept always damp by regularly watering to avoid nuisance. In case of any causality taking place at the work site, the contractor shall be solely responsible for payment of any compensation etc. to the aggrieved party.

SUSPENSION OF WORK

The contractor on the written order of the Executive Engineer/Assistant Engineer shall suspend the progress of the works or any part thereof, for such time and in such manner as may be considered necessary and during such suspension shall properly protect and secure the work as far as necessary in the opinion of the Executive Engineer. Nothing extra shall be paid to the contractor if such a suspension is necessary for proper execution of the work by reason of weather or by some default or the contractor or necessary for safety of the work or any part thereof.

SAMPLES

Contractor shall make laboratory with sufficient arrangement of testing facilities, appliances and laboratory technicians etc. at site and shall always co-operate in procurement of samples, conduction tests, as may be directed and no extra payment shall be made for them. Test samples shall be taken carefully in accordance with the I.S.I. method of sampling, no plea shall be entertained on this account. Job Mix Formula for B.M. and S.D.C. shall be done from any reputed authority by the contractor on his cost.

TESTING MATERIALS

All materials and workmanship shall be of the respective kind described in the contract and in the accordance with Engineer-in-charge instructions and shall be subjected from time to time to the testes mentioned under specifications. The contractor shall provide such assistance, labour and materials as are normally required for examining measuring and testing of the works and quantity weight or quality of materials used and shall supply materials, sufficiently in advance for testing as mentioned under specifications. The materials used subsequently for execution of the work shall strictly conform to the quality and sample approved. Necessary test for which facilities are not available locally or at site shall be conducted in the nearest available government controlled

Laboratories/Research Institute, Lucknow or any other reputed technical Institution. Cost of such testing and forwarding of sample to the laboratory etc. shall be borne by the contractor and nothing extra shall be paid on this account. Regular quality control test registers shall be maintained by the contractor.

ROYALTIES AND TAXES FTC.

The contractor shall pay all royalties, license fee, other charge at quarry, octroi duties, custom duties, toll taxes, trade tax and any other local taxes as may be levied. No passes for octroi or toll levied by local bodies on toll bridges shall be issued by the Department. Rate shall inclusive of the same. Nothing extra shall be paid due to fluctuations in the cost of materials, machines, bitumen, P.O.L., labour and all types of taxes etc.

COMPLIANCE WITH LOCAL BYE LAWS

The contractor shall throughout the continuance of the contract and in respect of all matters arising out of performance thereof, confirm with all required regulating and bye-laws of the local or other authorities which may be applicable to the works.

ROAD TRANSPORT

The contractor employing motor vehicles for transport of material shall abide by provisions of the Motor Vehicles Act.

DAMAGES BY RAINS, ACCIDENTS OR NATURAL CALAMITIES

No payment will be made to the contractor for damage caused by rains, accidents or other natural calamities during the progress of work. No claim whatsoever shall be entertained on this account.

DEFAULT OF CONTACTOR IN COMPLIANCE

Constant defiance of the instructions of Engineer-In-charge on the part of the contractor or his authorized agent will make the contract will liable to be terminated.

CLEARANCE OR SITE ON COMPLETION

The contractor shall at all times keep the premises free from accumulated waste materials or rubbish caused by his omployees on the works and on completion of the work, he shall clear away and remove from site all surplus materials, rubbish and temporary work of any kind and fill up borrow pits dug by him. He shall leave whole of the site and work clean and in a workmanlike condition to the entire satisfaction of the Engineer-in-charge.

PART-॥ लिफाफा-2

AYODHYA DEVELOPMENT AUTHORITY, AYODHYA

Civil line, parikrma marg. (Near D.M. Avas) Ayodhya

PRICE BID

Name of work: - अयोध्या गुप्तारघाट स्थित मरीमाता मन्दिर मोड़ से कम्पनी गार्डन तिराहा (बाया श्री अतुल सिंह मकान) एवं ब्रिग्रेडियर आवास तिराहे के पास अवशेष सड़क भाग के सुदृढ़ीकरण का कार्य।

SCHEDULE "G"

Name of Work- अयोध्या गुप्तारघाट स्थित मरीमाता मन्दिर मोड़ से कम्पनी गार्डन तिराहा (बाया श्री अतुल सिंह मकान) एवं ब्रिगेडियर आवास तिराहे के पास अवशेष सड़क भाग के सुदृढ़ीकरण का कार्य।

- 1. DATE OF CALLING TENDER 12.03.2024
- 2. DATE OF OPENING TENDER 16.03.2024
- 3. COST OF TENDER 42,45,500.00
- 4. EARNEST MONEY 85,000.00
- 5. VALIDITY OF TENDER
- 03 months

A.E.

I/We hereby execute the work on% above/below/ at par (both on words and figures)

> CONTRACTOR'S SIGN. ADDRESS:

No.	ne:- Consturction /Strengthening of Road from Panchmukh	Unit	Qty	Rate A	mount
	Excavation in foundation in ordinary soil (Loarn clay, or sand) including lift 1.5 metrs (5fts) and lead upto 30 m (100 fts.) & including filling watering and ramming of excavated earth into the trenches of into the space between the building and the side os foundation trenches or into the plinth and removal and dispsal of surplus earth as directed by the Engineer in charge upto a distance of 30 M (100 fts.) from the foundation trenches.	and the second se	21	. 120	Ż520.00
	Scarifying the existing Bituminus surfase to depth of 50 mm and disposal of carified material with in all lifts and 2 leads upto 1000 metres.	sqm	205	5.12	1049.60
	Granular Sub-Base with Close Graded Material (Table: 400-1): Construction of granular sub-base by providing close graded material, spreading in uniform layers with motor grader on prepared surface, mixing by mix in place method with rotavator at OMC, and compacting with vibratory roller to achieve the desired density, complete as per clause 401. For Grading-I Material (By Mix in Place Method).	cum	250	3754.7	938675.00
	Providing, laying, spreading and compacting stone aggregates of specific sizes to water bound macadam specification including spreading in uniform thickness, hand packing, rolling with 3 wheeled steel/ vibratory- roller in stages to proper grade and camber, applying and brooming requisite type of screening/ binding Materials to fill up the interstices of coarse aggregate, watering and compacting to the required density.Grading - II Material (63- 45 mm size) in base course with screening material Type B and binding material, 75 mm thick by Mechanical means.	cum	236	4398.39	1038020.04
	Providing and laying dense graded bituminous macadam with higher capacity batch type HMP using crushed aggregates of specified grading, premixed with bituminous binder @ 4.0 per cent by weight of total mix and filler, transporting the hot mix to work site, laying with a hydrostatic paver finisher with sensor control to the required grade, level and alignment, rolling with smooth wheeled, vibratory and tandem rollers to achieve the desired compaction as per MoRTH specification clause No. 505 complete in all	cum	85 Eps	11835.41	1053351.49

	Providing and laying bituminous concrete with higher capacity batch type hot mix plant using	cum	53	13272.22	703427.66
2	crushed aggregates of specified grading, premixed with bituminous binder @ 5.2 per cent of mix and filler, transporting the hot mix to work site, laying with a hydrostatic paver finisher with sensor control to the required grade, level and alignment, rolling with smooth wheeled, vibratory and tandem rollers to achieve the desired compaction as per MORTH specification clause No. 507 complete in all respects				
	P/applying tack coat 0.25 ks/sqm	sqm .	1773	6.77	12003.21
	P/applying tack coat 0.4 ks/sqm	sqm	1773	21.2	37587.60
. 9	Brick edging on both sides of 1st class bricks 8cm (3") wide& cm (4.50) deep laid with mud mortor including labour & suplly of bricks finished to required templete and in proper alignment and also including dressing & ramming the excavated earth including all labour T & P sudries required for completion of work material.	cum	936		76752.0
	Providing and applying 2.5 mm thick road marking strips (retroreflective) of specified shade/ colour using hot thermoplastic material by fully/ semi automatic thermoplastic paint applicator machine fitted with profile shoe, glass beads dispenser, propane tank heater and profile shoe heater, driven by experienced operator on road surface including cost of material, labour, T&P, cleaning the road surface of all dirt, seals, oil, grease and foreign material etc. complete as per direction of Engineer-in-charge and accordance with applicable specifications.		141	. 550.7	77648.7
10		-	93	6 325	304200.
	S/F of pavement makers (cat eye)	nos.	95	Total	4245235.